EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	91829	"707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DEFWENT; IBM_TDB	AND	ON	2009/08/10 15:27
L2	2	"US 20050234906"	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/08/10 15:27
L3	4850	"707/5".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:29
L4	12771	"707/3".ccls.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:29
L5	32	((VENKATESH) near2 (GANTI)).INV.	US-PGPUB; USPAT; USOCR	AND	ON	2009/08/10 15:30
L6	32	((VENKATESH) near2 (GANTI)).INV.	US-PGPUB; USPAT; USOCR	AND	ON	2009/08/10 15:30
L7	318	(segment\$3 with string) and (records) and (state with transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L8	86	(segment\$3 with string) and (records) and (state with transition) and probable	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L9	2	(segment\$3 with string) and (records) and (state with transition) and (probable with (string or segment\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31

L10	1208	(probable with (string or segment\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L11	703	(probable with segment \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L12	75	(probable with segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L13	12	(probable with segmentation) and (state with transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L14	8	(probable with segmentation) and (state with transition) and (stor \$3 with segment\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L15	163	("dynamic" or "automatic" or "automated" or "machine learning") with training with records	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L16	297	(unsupervised with segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L17	111	(unsupervised with text with segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31

L18	4	(unsupervised with segmentation) same records	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	MAND		2009/08/10 15:31
L19	11	(unsupervised with text with segmentation)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L20	1	(unsupervised with "text segmentation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L21	4	("training data" with "text segmentation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L22	7	("training data" same "text segmentation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L23	47	(segment\$3 with strings) same ((probable or feasible or likely or possible) with segmentation)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L24	2	"5956419".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L25	3	"unsegmented training data" and "unsupervised"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	AND	ON	2009/08/10 15:31

L26		"unsegmented training data"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L27	15	"unsegmented" and "unsupervised"	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L28	172	(segmenting with input) and ((probable or likely or possible) with (segmentation))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L29	26	(segmenting with input) and ((probable or likely or possible) adj (segmentation))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L30	5	(segmenting with input) and (most with ((probable or likely or possible) adj (segmentation)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L31	3	"unsegmented" and "unsupervised" and (stor \$3 with database)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L32	3	"unsegmented" and "unsupervised" and (stor \$3 same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L33	1	"unsegmented" and "unsupervised" and (stor \$3 with record)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31

L34	4	"unsegmented" and "unsupervised" and (stor \$3 with segments)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L35	3	"unsegmented" and "unsupervised" and (\$structured)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L36	6	(segmenting with (string or input)) same ((probable or likely or possible) adj (segmentation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L37	34	(segmenting with (string or input)) and ((probable or likely or possible) adj (segmentation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L38	8	(segmenting with (string or input)) and ((probable or likely or possible) adj (segmentation)) and tokens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L39	2	(segmenting with (string or input)) and (erroneous with tokens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L40	8	(segmenting with (string or input)) and ((wrong or incorrect or misplaced or invalid or faulty or false) with tokens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L41	5	"unsegmented" and "unsupervised" and (stor \$3 with (relation or table or repository or database))	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31

L42	113	(segmenting with (string or input)) and ((probable or likely or possible) adj (segmentation)) and (stor \$3 with (table or relation or repository or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	MAND	ON	2009/08/10 15:31
L43	134	(state with transition) and tokens and (database same attributes) and attributes and categor\$7 and train \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
L44	116	(state with transition) and tokens and (database same attributes) and attributes and categor\$7 and train \$4 and input and string and segment\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/10 15:31
S3	228	(segment\$3 with string) and (records) and (state with transition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 10:37
S4	54	(segment\$3 with string) and (records) and (state with transition) and probable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 10:41
S5	2	(segment\$3 with string) and (records) and (state with transition) and (probable with (string or segment\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 10:45
S6	964	(probable with (string or segment\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 10:46
S7	558	(probable with segment \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	AND	ON	2007/05/17 10:46

S8	62	(probable with segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	wand	ON	2007/05/17 10:46
S9	111	(probable with segmentation) and (state with transition)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 10:47
S10	7	(probable with segmentation) and (state with transition) and (stor \$3 with segment\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 11:40
S12	122	("dynamic" or "automatic" or "automated" or "machine learning") with training with records	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 11:48
S13	195	(unsupervised with segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 11:51
S14	10	(unsupervised with text with segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 11:50
S15	3	(unsupervised with segmentation) same records	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 11:54
S16	10	(unsupervised with text with segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	AND	ON	2007/05/17 11:56

S17	1	(unsupervised with "text segmentation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 11:57
S18	1	("training data" with "text segmentation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 11:57
S19	2	("training data" same "text segmentation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 11:57
S20	40	(segment\$3 with strings) same ((probable or feasible or likely or possible) with segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 13:52
S21	2	"5956419".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 13:54
S22	3	"unsegmented training data" and "unsupervised"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 13:54
S23	3	"unsegmented training data"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 13:55
S24	13	"unsegmented" and "unsupervised"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 14:12

S25	106	(segmenting with input) and ((probable or likely or possible) with (segmentation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	MON	2007/05/17 13:57
S26	18	(segmenting with input) and ((probable or likely or possible) adj (segmentation))	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 14:28
S27	4	(segmenting with input) and (most with ((probable or likely or possible) adj (segmentation)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 13:58
S28	2	"unsegmented" and "unsupervised" and (stor \$3 with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 15:30
S29	2	"unsegmented" and "unsupervised" and (stor \$3 same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 14:14
S3 0	—	"unsegmented" and "unsupervised" and (stor \$3 with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 14:15
S31	4	"unsegmented" and "unsupervised" and (stor \$3 with segments)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 14:16
S33	2	"unsegmented" and "unsupervised" and (\$structured)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	AND	ON	2007/05/17 14:16

S35	6	(segmenting with (string or input)) same ((probable or likely or possible) adj (segmentation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	MAND	ON	2007/05/17 14:30
S36	24	(segmenting with (string or input)) and ((probable or likely or possible) adj (segmentation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 15:37
S37	6	(segmenting with (string or input)) and ((probable or likely or possible) adj (segmentation)) and tokens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 14:35
S38	2	(segmenting with (string or input)) and (erroneous with tokens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 14:37
S39	6	(segmenting with (string or input)) and ((wrong or incorrect or misplaced or invalid or faulty or false) with tokens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 14:54
S40	4	"unsegmented" and "unsupervised" and (stor \$3 with (relation or table or repository or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 15:36
S41	11	(segmenting with (string or input)) and ((probable or likely or possible) adj (segmentation)) and (stor \$3 with (table or relation or repository or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/17 15:46
S42	130	(state with transition) and tokens and (database same attributes) and attributes and categor\$7 and train \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/13 10:17

S43	113	(state with transition)	US-PGPUB;	AND	ON	2009/04/13
4	i	and tokens and	USPAT;			10:18
		(database same	USOCR; EPO;			
		attributes) and attributes	JPO;		į.	
		and categor\$7 and train	DERWENT;			
		\$4 and input and string	IBM_TDB			
1	ì	and segment\$5			ĺ	

^{8/10/2009 4:06:36} PM

C:\ Documents and Settings\ jjohnson14\ My Documents\ EAST\ Workspaces\ 10825488_Final. wsp